

DELRAN TOWNSHIP FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS
REGULAR MONTHLY MEETING
March 28, 2023

The regular meeting of the Board of Fire Commissioners of the Delran Township Fire District No. 1 was held on Tuesday evening March 28, 2023 at the Fire District Office.

President Joseph Parento, commencing with the flag salute, called the meeting to order at 7:35 pm.

The President announced that this meeting is being conducted within the provisions of N.J.S.10-4.6 to N.J.S. 10:4-41 titled Open Public Meetings and that the time and place has been posted on the bulletin board of the Municipal Buildings and was advertised in the Burlington County Times on March 5, 2023.

Other members of the Board and appointed persons present were Commissioners James Bauer, James Turcich, and Anthony Quaciari. Also present were: Chief Joseph Cunningham Sr., Deputy Chief Kevin Peak, Deputy Chief/231 Battalion Chief Scott Seybert, 232 Battalion Chief Joseph Cunningham Jr., 231 Lieutenant Ralph Bensel Jr., Fire Official Walter Bauer, 232 President Chris Harvey, and Insurance Broker Ryan Jones, Solicitor Carmen Saginario Jr., Clerk Elizabeth Briggs.

A motion was made by Commissioner Quaciari, which was seconded by Commissioner Turcich, to approve the March 14, 2023 Caucus meeting minutes. The Board was polled. All AYES. The motion was approved.

COMMUNICATIONS: none

SECRETARY:

We now have the signed service agreements from Station 231 and Station 232. We are still waiting for the service agreement from Station 239 to be signed.

A motion was made by Commissioner Turcich, which was seconded by Commissioner Quaciari, to accept Resolution 2023-07 for compensations. The Board was polled. All AYES. The motion was approved.

CHIEF: Report is attached.

Ron Vandermark would like to do training at the station with the drug searching dogs that he works with. The board agreed to allow him to do this training sometime next month.

DEPUTY CHIEF: Report is attached.

STATION 231 BATTALION CHIEF: The sign-up sheet for the EMS course has 14 people (not including juniors) interested in taking the class. There are also 2 people interested in doing recertification classes. Commissioner Bauer will reach out to Cinnaminson to discuss the training schedule for the class.

STATION 232 BATTALION CHIEF: The Parental consent form to go with the SOG for Juniors has been completed.

OTHER LINE OFFICER'S REPORTS: Nothing to report.

Trustees: Nothing to report.

STATION PRESIDENTS: Nothing to report.

FIRE POLICE: They will be doing the Air Force Freedom ride. There will be a class on May 21 from 8-5pm in Hainesport. Station 231 will be hosting the memorial in April. Riverside is asking for a Fire Police unit for their car show on April 22.

BUILDING & GROUNDS:

The company working on the heater was supposed to come up with a quote to replace the whole unit. However, they only gave a quote for replacement of the AAON unit. We will be reaching out to them. The striping and signs at the Bridgeboro Station have been done. There are some issues with the work that was done. He also quoted \$250 for the yellow line across the street.

The commercial dishwasher at the Bridgeboro Station has a broken pump. There were a few companies that will not come out to fix it. We can get the pump on line for \$125 and replace the pump ourselves. There is also an issue with the pilot lights on the stove/oven. We are trying to get someone to look at that also.

The Chester Avenue Station has the dishwasher the Health Department will not approve. The company it was purchased from will only take it back with a restocking fee over \$1,000. The health department said we can use the sinks plus special chemicals with people trained to use them to count as disinfectant. The board agreed to get the chemicals and move forward with installation of the dishwasher. There have been some issues with the contractor who is supposed to install it.

A motion was made by Commissioner Turcich, which was seconded by Commissioner Quaciari, to have Aqua install the dishwasher at the Chester Avenue station, The Board was polled. All AYES. The motion was approved.

The heater at the Bridgeboro station has a failed disconnect that was locked out and tagged out. The quote is \$2,300 to have it fixed.

The water pump for the floor heater at the Chester Avenue Station is in the process of being fixed.

FIRE OFFICIAL: There is a leaking pipe in the grass behind Millside Plaza. The owner has a call out to the water company and the landlord.

Met with PSE&G on Monday. There is not much of a plan on when they will be doing the road project in town. Once they do start we will need to add mutual aid to those calls.

We are having an issue with the software that we use but we are working on that with the company. They will start paving Haines Mill on April 4.

OEM: With the chemical leak in the Delaware the water company said they have increased their testing on the water and our water is still uncontaminated.

If the state takes over an LEA they keep it for 5 years.

SOLICITOR'S REPORT (Carmen Saginario Jr.): There was a letter received about public entities being sued over the websites so we will look at the discrimination laws for the ADA and the public entity websites. They are specifically looking to be sure everything is gender neutral. We will be looking over everything to make sure we are compliant for the new website.

There are a few things to discuss in an executive session later in the meeting.

INSURANCE (Ryan Jones): Report is attached.

There was a discussion about the Group Policy. All the commissioner agreed on who should be removed and who should be added. The clerk will send the information to the insurance company tomorrow.

PUBLIC RELATIONS: Nothing to report.

OFFICE SPACE & EQUIPMENT: No Report.

FIRE EQUIPMENT: We received quotes for the 5" Stortz adaptor at \$305 each + shipping. We will be getting 2.

We received a quote for a filtration unit to disinfect the truck cabs for \$1,695. The board will discuss it. Blowhard sent a letter saying Midlantic is the official and only NJ Blowhard dealer for their fans.

We also received a quote from them for positive pressure fans at \$3,648 each, LED box lights \$198 each, and hand held smaller box light \$368.25.

Battalion Chief Cunningham will get an accurate number of each that we will need and bring that to the next meeting.

There is a quote for a few different thermal imaging cameras including the handhelds and the bigger ones. We do have some that need to be replaced. The officers would like to discuss some other options and maybe demo some thermal imaging cameras.

MASTER PLANNING: We have to set up a meeting.

APPARATUS:

2316's booster line is leaking. That will be fixed.

4 box lights have been fixed from 2312 and 2319.

2324 is still out of service. The generator has still not even been looked at by the generator company.

Squirt does have another filter we can put on and the seals will be fixed but not until the end of April.

UNIFORMS: There are a few requests for shirts.

SAFETY: No report.

WEB SITE: Will be live on April 1st.

GRANT: Nothing new to report.

TREASURER'S REPORT: There is nothing outstanding.

BILLS FOR PAYMENT:

A motion was made by Commissioner Turcich and seconded by Commissioner Quaciari to pay all bills present. The Board was polled. All AYES. The motion was carried.

OFFICE SPACE: We are going to be getting multifactor authorization on the network. There will be emails sent out soon with instruction on what to do.

OLD BUSINESS: New Holland trailers are under the state contract. For the double trailer 24' to handle both Kabotas at once for \$9,600.

The single trailer 16' is \$5,595. This can handle the Kabota with the salter and plow on.

The board all seemed to agree that two single trailers would be a better option. They will get more information together and bring it back to the next meeting.

We still need to have PSE&G come out to look at where the sign will be.

Maggie and Liz are working the GOVDEALS postings.

NEW BUSINESS: n/a

PUBLIC COMMENTS: n/a

COMMISSIONERS COMMENTS:

Commissioner Bauer made a motion, seconded by Commissioner Quaciari to begin an executive session at 9:15 pm. The board was polled. All AYES. The motion was carried.

After the executive session Commissioner Bauer made a motion, seconded by Commissioner Parento to adopt Resolution 2023-08 for a "Half Century Recognition Program". The board was polled. All AYES. The motion was carried.

Commissioner Bauer made a motion, seconded by Commissioner Parento to approve Commissioner James Turcich for the Half Century Recognition Program award for the 50 years of service he has dedicated to the department. The board was polled. All AYES. The motion was carried.

There was no further business to discuss so a motion was made by Commissioner Turcich and seconded by Commissioner Quaciari to adjourn the meeting at 9:53 pm. The Board was polled. All AYES. The motion was carried.

Respectfully submitted,

Elizabeth S. Briggs
Elizabeth S. Briggs



DELTRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

Office: 856-461-5474 Fax: 856-461-9005 *Emergencies Dial 9-1-1*

Delran Fire Department Deputy Chiefs Report

March 28, 2023

We are currently at 138 Calls for service to date for 2023.

Just a few notables since the last meeting:

3/16 – DFD responded to 200 Carriage Lane for a vehicle fire. Upon arrival it was deemed to be a dump truck in a parking lot with its cab and engine compartment fire. Crews made attack on the fire and our FM department conducted their investigation.

3/16 – DFD along with EMS and Virtua Medics responded to 155 Dorado Road for a cardiac arrest. Medics arrived quickly as to being already on the road and myself and C2300 arrived shortly after. Members assisted as needed and as it was reported on Monday to me that the patient regained a heartbeat on scene and is recovering!

3/20 – DFD along with many other county assets responded to the multi alarm building fire at the Fountain of Life Church in Florence. E2321 responded in place of S2324 with a crew of 5 along with Chief 2300. Crews were assessed with structure protection of the school wing of the church by making trench cuts and assuring fire did not spread to that area. Crews operated on scene for nearly 6 hours while fire police were tasked with their duties that spanned later into the morning.

The fire department is registered for the STEM fair for May 15th.

Website – Looks like we will be going live on April 1st. After tonight's meeting a few of us will be meeting shortly to go over a few pages on the site to help build them out.

The Air Show at Joint Base MDL is May 20th and 21st. We have requests in to have our apparatus be available for the cover assignment. Once knowledge is made to us that we are going to be used for the cover it will be reported.

Kevin F. Peak
Deputy Chief; Fire Operations
Delran Fire Department; Delran Fire District #1



DELTRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

856-461-5474 Fax 856-461-9005

Emergencies Dial 9-1-1

Chief's Report March 2023:

1. I spoke with Director Black from the Fire Academy about hosting a Fire Instructor 1 Class. I am waiting for Instructor Sharkey to give me dates.
2. The 2021 Command Car has a recall notice. I spoke with Winner Ford about bringing the Vehicle in to recall notice taking care of. I was told they are waiting for parts to make necessary repairs.
3. I will not be able to attend meetings next months due to taking classes next month in the evening.
4. The Department ran 38 Calls from March 1st to March 28th
 - . 1 Investigation
 - . 1 MVA
 - . 5 EMS Assist
 - . 1 Dwelling
 - . 12 Alarm System, Co and Smoke Detector Activations
 - . 3 Fumes/ Natural Gas Calls
 - . 2 Brush Fire Calls
 - . 3 Vehicles Fires
 - . 5 Wires Calls
 - . 5 Mutual Aid Responses

Fraternally,

Joseph M Cunningham Sr

Department Chief

Delran Fire Department



DELTRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

Office: 856-461-5474 Fax: 856-461-9005

Emergencies Dial 9-1-1

Junior Firefighter Program Parent / Legal Guardian
Operational Guideline Acknowledgement

I, _____ Relationship _____

I am signing this document to acknowledge that I have read and understand the Operational Guidelines for Junior Firefighters as set forth by the Delran Fire Department.

This document must be signed by the Junior Member and his / her parent / legal guardian and returned to the Delran Fire Department before the junior Firefighter will be allowed to respond to any emergency calls.

Signature of Junior Firefighter

___ / ___ / ___

Date


Signature of Parent / Guardian

___ / ___ / ___


Date



FirePRO-X Fast Frame



- Equip the entire department with the first affordable personal TIC
- 320 x 240 high-resolution thermal sensor
- 76,800 temperature pixels for maximum image clarity and sensitivity
- Waterproof design and simple charging
- Sealed housing and secure magnetic charge port for foolproof connection
- Wide, 32-degree field of view
- Easily scan a large area to identify hazards in seconds
- Long-lasting rechargeable battery, up to 3.5 hours
- 3 Modes, purpose-built for first responders
- Enhance your vision and situational awareness with a variety of color modes
- See through smoke
- 300 lumen LED flashlight available at the touch of a button
- Find victims and self-rescue faster with a reliable personal TIC
- Execute 360 size-ups & overhaul faster



Item #	Price
RQFFIX	\$549.00/EA



FirePRO-X Multi-Charge Docking Station




- 4 bay charger housing
- Wall mount plate with (4) screws
- Wall mount matching bracket (wall anchor screws not included)
- Elastic retention strap
- AC-DC (100-240V in, 5.5V 6.0A out) switching power supply with US/EU/UK plug adapters

Item #	Price
RDFAA	\$349.00/EA



Gear Keeper Retractable Lanyard For FirePRO-X



- Heavy-duty Spectra®/Nylon line
- 80mm aluminum carabiner for attachment to a firefighter's turnout coat
- Adhesive pad eye location sets the hanging orientation of the camera
- 60 lbs. breaking strength
- 9 oz. retraction force
- 32 inch extension

Item #	Price
RRCAA	\$35.00/EA

MID-ATLANTIC FIRE & AIR

A Division of DiVal Safety

QUOTE CONFIRMATION

* REPRINT * Page 1

.21 N. White Horse Pike • Laurel Springs, NJ 08021 • Phone: 856.783.0720 • Fax: 856.782.8978 • www.mafaonline.com

Bill to: DELRAN TWP FIRE DISTRICT #1
PO BOX 1007
ATTN: JIM TURCICH, TREASURER
DELRAN NJ 08075

Ship to: DELRAN TWP FIRE DISTRICT #1
900 S CHESTER AVE
DELRAN NJ 08075

CUSTOMER NUMBER

126125

CONTACT

PRINT DATE

3/17/23

ORDER NUMBER
V3575 00

CUSTOMER PURCHASE ORDER
BH STREAM

SALES REPRESENTATIVE
244 MIKE DIPASCALE

INSTRUCTIONS

<u>Ordered</u>	<u>Shipped</u>	<u>B.O.</u>	<u>U/M</u>	<u>Item and Description</u>	<u>Unit Price</u>	<u>Extended Price</u>
4		4	EA	BH-20-QUICKEE Blowhard 20" Quickee high flow jet ppv fan	\$3648.00000	\$14592.00 T
1		1	EA	44450 Streamlight, Fire Vulcan LED w/ AC,DC chargers	\$198.00000	\$198.00 T
1		1	EA	45665S Streamlight E-Flood light box HL, vehicle mount, 12V FREIGHT CHARGE	\$368.25000	\$368.25 T \$35.00

Quote Confirmation -


Not an Invoice

Total Line Items 3

* COMPLETE *


<u>Subtotal</u>	<u>Tax Pct</u>	<u>Sales tax</u>	<u>Total</u>
\$15193.25	.000		\$15193.25

16 231
16 232
Fm 1
33



TFT™ Crew Protect Multi Threat Air Filtration Unit 12V DC

- Self-contained and comprehensive air decontamination system for enclosed apparatus cabs
- reduces the three significant air contaminants firefighters face each day: volatile organic compounds (VOCs), particulates, and aerosols carrying viruses and bacteria (including SARS-CoV-2, the virus that causes COVID-19).
- Suitable for medium and large fire apparatus vehicles, ambulances, or similarly sized vehicles up to 350 cubic feet (9.91 cubic meters).
- An easy-to-read LED light indicates when the cartridge needs to be replaced.
- 12 VDC
- 100 CFM (2.83 CMM)
- Replacement filters available, Part # TFT-CC305




Item #	Price
TFT-CC300	\$1,695.00/EA
TFT-CC305	\$225.00/EA



Hero Wipes, 48 Count, Soft Pack With Lid

- Cleans skin and eliminates carcinogenic compounds before leaving the scene of fire
- Proven scientific, third-party results
- Remove up to 98% of toxic flame retardant TCEP with a single swipe
- Remove up to 83% of Benzopyrene (BaP) with a single swipe
- Thick, tough, stretchable, and virtually indestructible 10"x9" wipes compared to average baby wipes



Item #	Price
DWI-HW-F5782PCH48	\$11.75/EA

Sales Representative

Mike DiPascale
mike.dipascale@midatlanticfireandair.com

121 N. White Horse Pike • Laurel Springs, NJ 08021
P: 800-343-1354 • F: 856-782-8978 • C: 610-207-2510



**DELRAN TWP. FIRE DISTRICT #1
INSURANCE REPORT**

February 28, 2023 – March 28, 2023

March 3rd:

- Updates and Claims correspondence on open WC and GL claims

March 7th:

- Provided the VFIS accident policy renewal documents

March 8th:

- Claims correspondence disputing adjuster's initial response.

March 14th:

- Correspondence on VFIS coverage and application

March 22nd:

- Provided details on new drone to have it added to the policy

March 28th:

- Updates to Group Life policy for 4/1 renewal will be provided to Rue by 3/29

No other claims were reported in this period and no other COI's were issued.