

DELRAN TOWNSHIP FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS
REGULAR MONTHLY MEETING
August 22, 2023

The regular meeting of the Board of Fire Commissioners of the Delran Township Fire District No. 1 was held on Tuesday evening August 22, 2023 at the Fire District Office.

Vice President Anthony Quaciari, commencing with the flag salute, called the meeting to order at 7:30 pm.

The Vice President announced that this meeting is being conducted within the provisions of N.J.S.10-4.6 to N.J.S. 10:4-41 titled Open Public Meetings and that the time and place has been posted on the bulletin board of the Municipal Buildings and was advertised in the Burlington County Times and Courier Post on March 5, 2023.

Other members of the Board and appointed persons present were Commissioners James Bauer and James Turcich. Also present were: Chief Joseph Cunningham, Sr., Deputy Chief Peak, Bat. Chief/ Fire Marshall Joseph Cunningham, Jr., LT Burak Dugme, President of 232 Christopher Harvey, Solicitor Carmen Saginario, Jr., Insurance Broker Ryan Jones, and Clerk Elizabeth Briggs. Board President Joseph Parento was not in attendance.

A motion was made by Commissioner Bauer, which was seconded by Commissioner Quaciari, to approve the August 8, 2023 Caucus meeting minutes. The Board was polled. Commissioner Turcich abstained from the vote because he was unable to read the minutes. The other commissioner both voted AYE. The motion was approved.

COMMUNICATIONS: Nothing to report.

SECRETARY: Spoke to someone on the election board. We got clarification on a few things with the election. The county has put out the list of candidates running in the November Election.

CHIEF: Shoprite asked for some members to come to their "Bagging" event on Sept. 16th. Unfortunately, this is the Convention weekend so most of our members will be out of town for that. Report is attached.

DEPUTY CHIEF: Report is attached.

STATION 231 BATTALION CHIEF: Not in attendance.

STATION 232 BATTALION CHIEF: Report is attached.

OTHER LINE OFFICER'S REPORTS: LT Dugme- We have 2 uniform requests.

STATION PRESIDENTS: 232 President Harvey- Will be getting budget information to the board within the next week. We had our 95th anniversary picnic at the beginning of the month.

TRUSTEES: Not in attendance.

FIRE POLICE: No report.

FIRE OFFICIAL/ FIRE PREVENTION: We have been having issues with ProPhoenix sending out emails. Aidan worked on this and it seems to be working fine now. I was unable to get information on software at the conference last week but I will have Liz get information when she goes to Firehouse Expo. The drone got it's first call last week to find someone the police were looking for.

DEPUTY FIRE OFFICIAL: Report is attached.

OEM- Nothing to report.

SOLICITOR'S REPORT (Carmen Saginario Jr.): The draft of the policy manual has been distributed to the board and will be in review.

INSURANCE (Ryan Jones): Report is attached.

PUBLIC RELATIONS: National Night Out went very well.

The department helped with the community camp "wet down" a few weeks ago.

The Delran Soccer Team was supposed to have a car wash at Fire Stone but they canceled on them early in the week so they reached out to the Station and had it at Chester Ave. It went very well.

OFFICE SPACE & EQUIPMENT: The Bridgeboro Station finally had the Verizon line fixed. Bevan Alarm has an old listing for emergency contacts. We need to review and update these lists with them.

Firehouse Expo will be at the end of September. Cindy Nieto and Liz Briggs will be attending.

Last year we had an issue with Hunter's Glen paying the bill for inspections. We also had an issue this year. Aidan sent them a very well written letter and explained why it is the way it is. They came to an agreement and they have since paid.

There is a webinar about open enrollment for state insurance please attend one of those.

FIRE EQUIPMENT: We are still waiting for the Blitz Fire to come back.

2 CO monitors are out for a repair and battery replacement.

MASTER PLANNING: There has been some talk about The Constitution and By-Laws at the stations becoming the same. However, this will most likely not happen.

Would like to meet with the attorney and a committee about the Policy Manual and 5-year plan for salaries for the office staff. This staff has been doing an incredible job and need to have fair compensation for their work.

A motion was made by Commissioner Bauer to appoint a committee of 2 commissioners and the solicitor to follow up on with master planning committee to review the salary structure of the current staff and make a plan to implement.

The appointment will be deferred to President Parento to handle before the next meeting.

We will be needing to replace 2 trucks in the near future.

APPARATUS: 2315 is up at Campbell's for the A/C and an issue with the turntable and the bucket controllers.

2321 was pump tested last week. The pump passed but the vacuum failed and will be getting fixed in September.

We will be looking into getting the extra seat in 2324.

2327 will need to get the backend stiffened and a steering stabilizer for the trailer. It shakes a lot when above 35 mph.

UNIFORMS: We have 2 requests tonight.

SAFETY: Nothing to report.

WEBSITE: We have gotten a few people interested in joining from the website.

BUILDING & GROUNDS: The Chester Ave. Station A/C is still not working. There is a leak in the system that needs to be fixed. We are working on quotes for this. Right now half the system is shut down. If the leak gets fixed soon that will help us get some more time out of the unit while we work on bids for a new system in the next year or so.

Aqua was supposed to come out for the dishwasher. They have an electrician that can also do the work with it.

The compressor came in for the Bridgeboro station A/C. We need the ladder or squirt to lift it on the roof.

GRANT: We were awarded a grant from FEMA for \$49,808.57

TREASURER'S REPORT: We will need to do a resolution next meeting for adjustment to the budget with receiving the grant.

Report is attached.

BILLS FOR PAYMENT:

The total bills for August were \$60,723.38.

A motion was made by Commissioner Turcich and seconded by Commissioner Bauer to pay all bills present. The Board was polled. All AYES. The motion was carried.

OLD BUSINESS:

We will have the bids for the vehicles next meeting since they are due August 31.

The National Insurance was due on the 16th. We have about 35 members

The Board agreed to move forward with the adjustments to the SOP on facial hair and the department will now follow these changes.

The Gov Deals work is still in progress.

NEW BUSINESS: The Chief will talk to Madison Cafe about having the Commissioner's dinner in December on the 5th.

My NJ will no longer hold the information on CEU's. It will be switching to the Kean Website.

Hugh Pierce is out at the academy for the FF1 class tonight.

PUBLIC COMMENTS: Nothing to report.

COMMISSIONERS COMMENTS:

Commissioner Bauer- there was a call with 20ppm CO. We have too many people on that call and many others that are not always wearing proper gear. We need to be sure for everyone's safety that all gear is being worn properly any time you get off the truck.

There was no further business to discuss so a motion was made by Commissioner Turcich and seconded by Commissioner Quaciari to adjourn the meeting at 8:44 pm. The Board was polled. All AYES. The motion was carried.

Respectfully submitted,

Elizabeth S. Briggs
Elizabeth S. Briggs



DELTRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

Office: 856-461-5474 Fax: 856-461-9005

Emergencies Dial 9-1-1

Delran Fire Department

Deputy Chiefs Report

August 22, 2023

We are currently at 440 Calls for service to date for 2023.

Some notable incidents since the last meeting:

8/13 – Brush Truck 2316 attended the Jazz fest in Willingboro for community assistance with the fire work display.

8/14 – Different Delran units were dispatched to a multi alarm house fire in Mount Holly. E2321 responded to Station 501 for a cover assignment and then was pulled in for manpower to supplement on scene operations, REHAB 232 responded to the scene and set up rehab facility for FF's and EMS, and Cascade 2319 was dispatched also in the event they were needed.


8/20 – DFD responded to Dunkin Donuts for a reported car fire. Car mechanically failed spraying oil on the roadway and the hot engine. Fire was out on arrival and crews cleaned up spilled oil in roadways.

I received more documentation on EV Fire Management and Scene Checklist. Will be collaborating with other documents to have set plans in place if we do encounter one of these types of fires.

Kevin F. Peak

Deputy Chief; Fire Operations

Delran Fire Department; Delran Fire District #1

| | | |
|---|---|--------------------------------|
|  | Standard Operating Procedures | |
| | Subject: Facial Hair in Delran Fire Department | |
| | SOP #: 100- 9 | # of Pages: 3 |
| | Effective Date: 07-24-2012 | Revision Date: 8-1-2023 |
| Approved By: Chief Joseph Cunningham Sr. | | |

1.0 PURPOSE:

1.1 The purpose of this procedure is to establish standard guidelines for all department personnel while responding to incidents, training evaluations, attending fire schools, taking part in activities/special events and the use of Self-Contained Breathing Apparatus with facial hair or other items which may interfere with S.C.B.A. mask skin to seal contact.

2.0 SCOPE:

2.1 This procedure shall apply to all Delran Fire Department personnel operating on fire grounds, training grounds and riding on department vehicles.

This document establishes:

- 2.1.1 Responsibility
- 2.1.2 Procedure
- 2.1.3 References

3.0 Responsibility:

3.1 It shall be the responsibility of all department line officers to comply and enforce the regulations of this procedure.

3.2 It shall be the responsibility of all riding members and members operating in any potentially hazardous area to maintain the ability of clean shaven appearance.

3.3 It shall be the responsibility of all personnel to know and follow the departments Respiratory Protection Program, The National Fire Protection Association (NFPA), The National Institute of Occupational Health and Safety (NIOSH), Occupational Safety and Health Administration (OSHA) 29 CFR 1910.134(e)(5)(i), Public Employees Occupational Safety and Health (PEOSH) and The American National Standards Institute (ANSI) regulations prohibit the use of Self Contained Breathing Apparatus (SCBA) by personnel with beards or other facial hair that may interfere with the proper seal of a face piece.

Continued on page 2

4.0 Procedure:

- 4.1 All personnel shall have no facial hair of more than one (1) day's growth or that which may interfere with a complete seal of the face piece shall be considered unacceptable in the Delran Fire Department. Any member that shows to have more than acceptable limits (one (1) days growth) shall be either asked to shave prior to participating in fire department activity and/or will be removed from on scene duties/activities; unless there is a issue to where the member can not maintain clean appearance due to skin condition or sever irritation.
- 4.2 Regardless of what fit test measurement can be obtained. Facial hair that comes in contact with the seal is prohibited with the use of S.C.B.A.
- 4.3 If facial hair is styled so no hair underlies the points where the S.C.B.A. facepiece is designed to seal with the face, then this may be an acceptable limitation. This will be at the of the discretion of the line officers.
- 4.4 Personnel who are in violation of above facial hair policy will be removed from all fire department activities for a period of two weeks (14 day's) or longer if they do not follow this procedure.

5.0 REFERENCES

- 5.1 The National Fire Protection Association also deals with this issue and in NFPA 1500: Standard on Fire Department Occupational Safety and Health Program, 1997 Edition states at section 5-3.10 that:
 - 5.1.1 "Members who have a beard or facial hair at any point where the SCBA face piece is designed to seal with the face, or hair that could interfere with the operation of the unit, shall not be permitted to use respiratory protection at emergency incidents or in hazardous or potentially hazardous atmospheres. These restrictions shall apply regardless of the specific fit test measurement that can be obtained under the test conditions."
 - 5.2 The National Institute of Occupational Health and Safety, in the NIOSH Guide to Industrial Respiratory Protection states that:
 - 5.2.1 "Facial hair that lies along the sealing area of the respirator, such as beards, sideburns, moustaches, or even a few days growth of stubble, should not be permitted on employees who are required to wear respirators that rely on a tight facepiece fit to achieve maximum protection. Facial hair between the wearer's skin and the sealing surfaces of the respirator will prevent a good seal...."
- Continued on page 3
- 5.3 The Occupational Safety and Health Standard Title 29 CFR 1910.134 states in relevant part,
 - 5.3.1 "(1) Face piece seal protection. (i) The employer shall not permit respirators with tight-fitting face pieces to be worn by employees who have: (A) Facial hair that comes between the sealing surface

of the facepiece and the face or that interferes with valve function; or (B) Any condition that interferes with the face-to-facepiece seal or valve function. (ii) If an employee wears corrective glasses or goggles or other personal protective equipment, the employer shall ensure that such equipment is worn in a manner that does not interfere with the seal of the facepiece to the face of the user. "

5.3.2 Additionally, under the above cited standard, when discussing the fit test requirements OSHA states: "The test shall not be conducted if there is any hair growth between the skin and the facepiece sealing surface, such as stubble beard growth, beard, mustache or sideburns which cross the respirator sealing surface. "

5.4 The American National Standards Institute (ANSI) Z88.2-1992 entitled "American National Standard for Respiratory Protection" in section 7.5.1 state:

5.4.1 "A respirator, either positive or negative pressure, equipped with a facepiece (tight or loose fitting) shall not be worn if facial hair comes between the sealing surface of the facepiece and the face or if facial hair interferes with valve function."

6.0 DEVIATION OF POLICY:

6.1 This procedure acts as a guideline to follow. If situations during a response to an incident do not fit within these parameters, the incident commander of the incident shall have the authority to deviate as necessary to perform a successful outcome and ensure firefighter and public safety.

Official Approval

Name: _____

Title: _____

Signature: _____

Date: _____

Revision Notes

Name: _____

Title: _____

Date: _____

Range of Checking Accts: CHECKING to CHECKING Range of Check Ids: 33114 to 33161
Report Type: All Checks Report Format: Super Condensed Check Type: Computer: Y Manual: Y Dir Deposit: Y

| Check # | Check Date | Vendor | Amount Paid | Reconciled/Void Ref Num |
|---------|------------|---|-------------|-------------------------|
| 33114 | 08/08/23 | AZEMB005 A-2-Z Emblems | 885.00 | 241 |
| 33115 | 08/08/23 | BURLI010 Burlington Co. ESTC-BCIT | 110.00 | 241 |
| 33116 | 08/08/23 | COMAS005 Comcast | 492.85 | 241 |
| 33117 | 08/08/23 | CURRY005 Curry Office Supplies | 175.91 | 241 |
| 33118 | 08/08/23 | DELAG005 DeLage Landen Financial | 2,007.29 | 241 |
| 33119 | 08/08/23 | ELIZA005 Elizabeth Briggs | 73.20 | 241 |
| 33120 | 08/08/23 | GABBY010 Gabrieli Lopez | 455.75 | 241 |
| 33121 | 08/08/23 | HOLTM005 Holt McNally & Assoc. | 1,000.00 | 241 |
| 33122 | 08/08/23 | JIMDU005 Jim Dunphy's Landscaping | 170.00 | 241 |
| 33123 | 08/08/23 | JOSEP005 Joseph M. Cunningham, Sr. | 225.06 | 241 |
| 33124 | 08/08/23 | MES000005 MES | 934.24 | 241 |
| 33125 | 08/08/23 | NEWJE005 NJAWC | 2,195.47 | 241 |
| 33126 | 08/08/23 | NEWPI005 New Pig Corp. | 9.70 | 241 |
| 33127 | 08/08/23 | NJAWC005 NJAWC - Hydrants | 16,929.09 | 241 |
| 33128 | 08/08/23 | PSEG0005 PSE&G | 2,752.81 | 241 |
| 33129 | 08/08/23 | RIGGI005 Riggins Oil | 2,519.48 | 241 |
| 33130 | 08/08/23 | STATE005 STATE OF NJ - DEPT OF LABOR | 59.27 | 241 |
| 33131 | 08/08/23 | STATE020 State Line Fire & Safety, Inc. | 770.00 | 241 |
| 33132 | 08/08/23 | TUSTI005 Tustin Mechanical Services | 1,193.50 | 241 |
| 33133 | 08/08/23 | VERIZ005 Verizon | 524.41 | 241 |
| 33134 | 08/08/23 | RIGGI005 Riggins Oil | 611.21 | 242 |
| 33135 | 08/22/23 | AMERI005 Americall Communications | 395.00 | 243 |
| 33136 | 08/22/23 | AQUAS005 AquaStar Plumbing | 225.00 | 243 |
| 33137 | 08/22/23 | ATTMO005 AT&T Mobility | 899.18 | 243 |
| 33138 | 08/22/23 | AZEMB005 A-2-Z Emblems | 152.00 | 243 |
| 33139 | 08/22/23 | BILLF005 Bill Foster LLC | 1,306.00 | 243 |
| 33140 | 08/22/23 | CAPEH005 Capehart & Scatchard P.A. | 1,240.00 | 243 |
| 33141 | 08/22/23 | COMAS005 Comcast | 904.87 | 243 |
| 33142 | 08/22/23 | DELRA010 Delran Fire Co.#2 | 939.80 | 243 |
| 33143 | 08/22/23 | DITMA005 Ditmars Perazza & Co. | 1,500.00 | 243 |
| 33144 | 08/22/23 | DREDG005 Dredge Harbor Boat Center, LLC | 2,000.00 | 243 |
| 33145 | 08/22/23 | ELIZA005 Elizabeth Briggs | 45.00 | 243 |
| 33146 | 08/22/23 | ESIEQ005 ESI Equipment | 1,969.00 | 243 |
| 33147 | 08/22/23 | FIREH015 Endeavor Business Media | 1,150.00 | 243 |
| 33148 | 08/22/23 | FLAGG005 FLAGG'S PEST CONTROL | 95.00 | 243 |
| 33149 | 08/22/23 | GENER005 General Chemical/PJP | 584.70 | 243 |
| 33150 | 08/22/23 | HYPER005 Hyperion Tree Service | 2,000.00 | 243 |
| 33151 | 08/22/23 | JAMES010 James T. Turcich | 2,065.36 | 243 |
| 33152 | 08/22/23 | JAMES010 James T. Turcich | 1,250.63 | 243 |
| 33153 | 08/22/23 | JOHNS005 John's Lawn Service | 1,136.50 | 243 |
| 33154 | 08/22/23 | JOSEP005 Joseph M. Cunningham, Sr. | 280.18 | 243 |
| 33155 | 08/22/23 | JOSEP010 Joseph Parento III | 90.57 | 243 |
| 33156 | 08/22/23 | JOSEP015 Joseph M. Cunningham, Jr. | 1,319.71 | 243 |
| 33157 | 08/22/23 | PRAXI005 Atlantic Tomorrow's Office | 3,050.75 | 243 |
| 33158 | 08/22/23 | READY005 ReadyRefresh by Nestle | 262.43 | 243 |
| 33159 | 08/22/23 | SCOTT010 Scott R. Seybert | 1,166.00 | 243 |
| 33160 | 08/22/23 | TOMAR005 Tomar Industries | 192.50 | 243 |
| 33161 | 08/22/23 | XTREM010 Xtreme Solutions, INC | 408.96 | 243 |

AUGUST 2023

\$60,723.38

BILL LIST



DELTRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

Office: 856-461-5474 Fax: 856-461-9005 *Emergencies Dial 9-1-1*

August Commissioners Meeting
Fire Marshal Report
August 22nd, 2023

I am beginning to receive material for Fire Prevention.

We have been experiencing issues with the ProPhoenix inspection software and sending emails from the tablets to Gmail accounts. I asked Aidan to work with Joe Ochtun and Phoenix to figure out what was causing this problem. After about a week of back and forth they were able to get the issue corrected and the system seems to be working correctly.

The FMs office was requested to Taylors Lane on Thursday August 10th to assist PD with the Drone to attempt to locate a missing suspect. That was the first official request for the drone.

I did not meet any new vendors at the FRI Conference that had fire investigation software. I'm going to continue to look and see what's available before we make the jump to Blazestack.

Respectfully Submitted,

Joseph Cunningham Jr.
Fire Marshal



DELTRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

Office: 856-461-5474 Fax: 856-461-9005 *Emergencies Dial 9-1-1*

August Commissioners Meeting
Battalion Chiefs Report
August 22nd, 2023

Marine 232 is at Dredge Harbor having work done on the outboard.

I gave the bid to the secretaries to put out for 2329 to have the electrical work done on this inside of the cab.

I have two quotes tonight, 1 quote for fire extinguisher attachments for the lion fire board and 1 quote for 3 additional water rescue suits.

The 4 new sets of turnout gear came in from globe. They have been issued to the members. I had to send one jacket out because the sleeves were too long.

We spoke with FirstDue in Kansas City, they told us they're suppose to be pushing some updates which should make the system operate a little more smoothly for us like preset point values for categories.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read 'Joseph Cunningham Jr.' with a stylized flourish at the end.

Joseph Cunningham Jr.
Battalion Chief

| | |
|------------------|------------|
| Quote# | QUO116676 |
| Date | 08/16/2023 |
| Exp. Date | 09/15/2023 |

Bill To:

Delran Township Fire Dist. #1
PO Box 1007
Delran, NJ 08075-0807
United States

Ship To:

Delran Township Fire Dist. #1
900 S Chester Ave
Delran, NJ 08075-1234
United States

Lion Bullseye Extinguishers

| ID | Name | Terms | Sales Rep |
|------|-------------------------------|--------|-----------------|
| 3836 | Delran Township Fire Dist. #1 | Net 30 | Michael Sweeney |

| # | Item Name | Description | Quantity | Unit Price | Amount |
|---|--------------|---|----------|------------|----------|
| 1 | LION-BEE05RF | Lion BULLSEYE 2 Kg/5 Lb Dry Chemical Digital Laser Extinguisher (Rf) | 1 | 1,689.25 | 1,689.25 |
| 2 | LION-BEE10RF | Lion BULLSEYE 5 Kg/10 Lb Dry Chemical Digital Laser Extinguisher (Rf) | 1 | 1,789.25 | 1,789.25 |
| 3 | LION-BEE20RF | Lion BULLSEYE 9 Kg/20 Lb Dry Chemical Digital Laser Extinguisher (Rf) | 1 | 1,889.25 | 1,889.25 |
| 4 | FREIGHT-BQ | Shipping Charges Not Included & Will Be Added | | 0.00 | 0.00 |

| ACCEPTANCE OF QUOTATION | | Subtotal: | 5,367.75 |
|--|--|-------------------|-----------------|
| The above prices, specifications, and conditions are satisfactory and are hereby accepted. | | Discount: | 0.00 |
| Freight charges are estimated at the time of quote. Applicable freight costs will apply at time of shipment. | | Tax Total: | 0.00 |
| Quotation is valid until Sep 15, 2023 | | Freight: | 0.00 |
| Signature: _____ Date: _____ | | Total: | 5,367.75 |

CONTINENTAL

FIRE & SAFETY

2740 KUSER ROAD
HAMILTON, NJ 08691
609-588-0096 - Info@contfire.com

Quote

| | |
|-----------|---------|
| Date | Quote # |
| 7/12/2023 | 23-1616 |

| |
|--|
| Name / Address |
| DELTRAN FIRE DISTRICT #1 P.O. BOX 1007 DELTRAN, NJ 08075 ATTN: JOE CUNNINGHAM |

| | | |
|--------|-----|---------|
| Terms | Rep | Project |
| Net 30 | CF | |

| Description | Qty | Rate | Total |
|--|----------|---------------|-------------------|
| NRS Extreme Rescue Dry Suit - SMALL - Red | 3 | 895.00 | 2,685.00 |
| SHIPPING & HANDLING | 1 | 72.00 | 72.00 |
| Total | | | \$2,757.00 |



DELRAN FIRE DEPARTMENT

P.O. Box 1007

Delran, New Jersey 08075

856-461-5474 Fax 856-461-9005

Emergencies Dial 9-1-1

Chief's Report August 2023:

1. The Department attended the Delran Night Out held at the Community Park.
2. The Chiefs Department budget will be finalized this week and turned in to Commissioner Turcich.
3. The turn out gear that was ordered last year came in. Need to send one set back to get the sleeves shorten.
4. I will be putting an order together for PPE to order in the next couple of weeks.
5. The Department will be attending a Block Party on Silverwood Dr Saturday September 9th, 2023 from 1-4PM
6. The Department ran 42 Calls since July 25th, 2023


Grants:

1. I am proud to announce that the department received another grant in the amount of \$49,808.⁵⁷~~43~~. This grant is for 2 Gear Extractor and Dryers.
2. I am providing a copy of what will be funded for next year grant.
3. I would also like to apply for the NJ Cares act grant when that becomes available.

Apparatus:

1. Ladder 2315 is at Campbell Supply getting the A/C repaired, and the Ladder controls repaired.
2. Engine 2321 Failed the Vacuum Test. Primer Pump is inop. We can get this done when the CAFS Pump gets replaced.

Respectfully Submitted



Joseph M Cunningham Sr.

Delran Fire Department

7

DELRAN TWP. FIRE DISTRICT #1
INSURANCE REPORT

July 25, 2023 – August 22, 2023

Aug 7th:

- Injury to finger reported

Aug 14th:

- Met to complete review and complete JIF renewal applications

Aug 16th:

- Added boat trailer to schedule


No other claims were reported in this period and no other COI's were issued.

**REPORT TO DELRAN FIRE COMMISSIONERS
DEPUTY FIRE MARSHAL REPORT
AUGUST 22nd**

First off, I would like to apologize that I am unable to attend tonight's meeting, due to me being at training at Station 171.

For those who have access to first due, I would like to share I have been slowly gathering information and adding pre planned icons to the map. In hopes, this will give not just us but our mutual aid who respond an idea of where some important information may be located. Below on my report will be a picture of Target in Delran with its main entrance, its Knox box location, an icon for solar panels, and its FDC location. This is just some information that can be added.

If anybody has any suggestions I would greatly appreciate the feedback!



4004 Rte 130 N, Delran NJ 08075
Main entrance, Knox box, Solar panels, FDC
(From Top to Bottom)

Thank you,
Aidan Friddell
Deputy Fire Marshal

"An ounce of prevention is worth a pound of cure"
Benjamin Franklin